



Android POS A9
15.6-inch Touch POS Terminal

Advantages for POS A9

1. Aluminum ultra slim fashion design
2. Support Android OS board | Windows OS board
3. 15.6-inch TFT LCD 1366*768 or 1920*1080P resolution
4. Multi-points Capacitive touch screen
5. MSR, VFD customer display, 11.6-inch LCD 2nd display optional

PRODUCT IMAGE



CUSTOMER DISPLAY



2*20 LCD/VFD


11.6 inch LCD

Android POS System A9

15.6 inch Ultra Slim

Smart Point of Sale System

Support Windows and Android



Specifications for POS A9

Main board	Android	Windows
CPU	RK3288 Quad-Core 1.8GHz	Intel Core i3/i5/i7
OS support	Android 7.1.2	Windows 10 Pro
Display		
Display size	15.6-inch TFT LCD	
Brightness	300 nits	
Resolution	1366*768 or 1920*1080P	
Touch panel	Multi-points Capacitive touch screen	
Storage		
EMMC	8GB ROM	64GB/128GB SSD
Memory	2GB RAM	4GB RAM max. 8GB
I/O Ports		
Serial	2xCOM	1xCOM
USB	6 x USB 2.0 (External) 2x USB 2.0(Internal for touch screen&MSR)	USB x5 (4 in IO panel, 1 beside the power button)
LAN	1xRJ-45 Giga LAN	
VGA		1xVGA
DC out	Optional:1 x +12VDC (Customer	DC-Input x 1
Others		
Wi-Fi	IEEE802.11b/g	
MSR	Interface: USB 3 Track	
VFD	Display characters: 2 lines * 20 characters Language: Support different country language	
2nd screen	11.6-inch TFT LCD display with 1366*768 resolution	
	15.6-inch TFT LCD display with 1366*768 resolution	
Package size	450x280x500mm (1pcs in 1 carton)	
	600x480x530mm (2pcs in 1 carton)	
Gross weight	8.8kg for 1pcs 17.9kg for 2pcs	

Aluminum Stand Design for Anti-Slide

Choose from Windows and Android systems
for more flexible use in restaurants, retail, coffee shops, etc.



Smart interface, easy to use

Stylish in appearance, simple in line

Applicable Industries



Self-service
Supermarket



Fresh market



Catering chain



Milk tea chain




Franchise store



Business super &
Convenience store

Fully Satisfying Abundant External Ports (Android)



SIZE AND ACCESSORIES



thermal printer



Scanner



Cash Drawer



Handheld Scanner

OPTIONAL PLUG



EU Plug



AU Plug



UK Plug



US Plug